

Message

---

**From:** Paul Hlavinka -MDE- [paul.hlavinka@maryland.gov]  
**Sent:** 5/20/2020 1:51:09 PM  
**To:** Ottinger, Elizabeth [Ottinger.Elizabeth@epa.gov]  
**CC:** Ed Stone -MDE- [ed.stone@maryland.gov]  
**Subject:** Re: 20-CP (Construction Stormwater General Permit) - Maryland  
**Attachments:** 20CP0000\_AppendixA\_Definitions.docx; 20CP0000 General Permit Draft.docx; 20CP0000 General Permit Fact Sheet.docx; 20CP0000\_AppendixC\_AntiDegradation Checklist.docx; 20CP0000\_AppendixB\_Stream Protection Zone.docx

Sorry Liz, it was on my list but I just hadn't gotten it to you. Here you go.

On Wed, May 20, 2020 at 9:43 AM Ottinger, Elizabeth <Ottinger.Elizabeth@epa.gov> wrote:

Paul,

Have you given any more thought to sending me the Word version of the permit and FS so that I can provide you with any comments I have in track changes?

**From:** Paul Hlavinka -MDE- <paul.hlavinka@maryland.gov>  
**Sent:** Monday, May 04, 2020 12:18 PM  
**To:** Ottinger, Elizabeth <Ottinger.Elizabeth@epa.gov>  
**Cc:** Ed Stone -MDE- <ed.stone@maryland.gov>; Michael.Richardson@Maryland.gov; Lillian Myers -MDE- <lillian.myers@maryland.gov>; Elizabeth Reicks -MDE- <elizabeth.reicks@maryland.gov>  
**Subject:** 20-CP (Construction Stormwater General Permit) - Maryland

Dear Elizabeth Ottinger,

I am enclosing Maryland's recommendation renewal pertaining to the State/NPDES General Permit for Stormwater associated with Construction Activity, including the draft permit, the draft fact sheet and appendix A-C. This project is being sent for review because it is considered a Major Industrial Permit.

The Memorandum of Agreement states that the Regional Administrator must concur, in writing, with the effluent limitations and other conditions as specified in the proposed permit. We would appreciate your notification of concurrence or proposed modifications within 90 days of receipt of this email. If you have any questions or comments, please contact Paul Hlavinka, [paul.hlavinka@maryland.gov](mailto:paul.hlavinka@maryland.gov) or call at 240-372-2711..

For reference, I am also including this link to our existing permit language. [Text of the 2014 General Permit](#)

--

## Email Updates

[Click here](#) to subscribe to an email newsletter providing updates regarding MDE's general discharge permits.



### Paul Hlavinka

Chief, Industrial Stormwater Permits Division  
Water and Science Administration  
Maryland Department of the Environment  
1800 Washington Boulevard  
Baltimore, Maryland 21230  
[paul.hlavinka@maryland.gov](mailto:paul.hlavinka@maryland.gov)  
410-537-3631 (O)  
[Website](#) | [Facebook](#) | [Twitter](#)

[Click here](#) to complete a three question customer experience survey.

[Click here](#) to complete a three question customer experience survey.

--

## Email Updates

[Click here](#) to subscribe to an email newsletter providing updates regarding MDE's general discharge permits.



### Paul Hlavinka

Chief, Industrial Stormwater Permits Division  
Water and Science Administration  
Maryland Department of the Environment  
1800 Washington Boulevard  
Baltimore, Maryland 21230  
[paul.hlavinka@maryland.gov](mailto:paul.hlavinka@maryland.gov)  
410-537-3631 (O)  
[Website](#) | [Facebook](#) | [Twitter](#)

[Click here](#) to complete a three question customer experience survey.

[Click here](#) to complete a three question customer experience survey.